

7. EMS Apparatus & Equipment Program

Measure / Indicator Description:	Responsibility:	2006 %	2007 %	2008 %	2009 %
Percent compliance with developing a program for standardization of EMS equipment carried on all District aid and medic units.	Chief Rauma	100	100	100	
Percent compliance with identifying EMS equipment inventory requirements for District aid and medic units.	Chief Rauma MSO K. Ryan	100	100	100	
Percent compliance with meeting requirements of WAC 246-976-300 <i>Ground Ambulance and Aid Vehicle Equipment</i> .	Chief Rauma	100	100	100	
Percent compliance with meeting requirements of WAC 246-976-390 <i>Verification of Trauma Care Services</i> for Advanced Life Support Ambulances. <i>Note: ALS Ambulances must also meet the requirements in WAC 246-976-300.</i>	Chief Rauma	100	100	100	
Percent compliance with purchasing EMS equipment to meet WAC Standards noted above as well as providing for District standardization.	Chief Rauma	100	100	100	
Percent compliance with developing and implementing an EMS Equipment Inventory Control System.	Chief Rauma MSO K. Ryan	100	100	100	
Percent compliance with training of personnel in EMS Equipment Inventory Control System to maintain compliance with state and District standards.	Chief Rauma Chief Clinton MSO K. Ryan	100	100	100	
Overall Percent Compliance by Year:		100%	100%	100%	

What does this measure tell us?

An effective EMS Apparatus & Equipment Program within our organization will provide standardization and facilitate the delivery of services while reducing the time spent training on equipment familiarization. The measure will also help assure compliance with WAC 246-976-300 and WAC 246-976-390, while enhancing the inventory control process.

Goal being measured:

Develop and Maintain an Effective Service Delivery System.

This measure assures that all apparatus are provided with adequate EMS equipment to effectively treat patients and meet State mandates as a licensed and verified EMS and Trauma Agency.